

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 1 of 11

Revision date: 04.10.2023

## Bone Dry Sealer

### SECTION 1: Identification

#### Product Identifier

**Product Name:** Bone Dry Sealer



#### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** Concrete Moisture Mitigation Product

**Uses Advised Against:** Any use other than recommended above.

**Reasons Why Uses Advised Against:** Not determined or not applicable.

#### Manufacturer or Supplier Details

##### Manufacturer:

##### United States

Bone Dry Products

9009 58th Pl

Kenosha, WI 53144

262-694-9748

info@bonedryproducts.com

#### Emergency Telephone Number:

##### North America

Chemtrec

1-800-424-9300 (24 hours)

+1-703-527-3887 (24 hours)

### SECTION 2: Hazard(s) Identification

#### GHS Classification:

Skin irritation, category 2

Serious eye damage, category 1

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

#### Label elements

##### Hazard Pictograms:



##### Signal Word: Danger

#### Hazard statements:

H315 Causes skin irritation

H318 Causes serious eye damage

H335 May cause respiratory irritation

#### Precautionary Statements:

P264 Wash any exposed skin thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see Sections 4 - 8 of this SDS and any supplemental information on the product label).

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 2 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

P332+P313 If skin irritation occurs: Get medical advice or attention.

P362 Take off contaminated clothing and wash it before reuse

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P405 Store locked up

P501 Dispose of contents and container in accordance with federal, state and local regulations

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

| Identification              | Name                   | Weight % |
|-----------------------------|------------------------|----------|
| CAS Number:<br>Trade Secret | Proprietary Diluent    | 60-70    |
| CAS Number:<br>Trade Secret | Proprietary Salt       | 5-8      |
| CAS Number:<br>Trade Secret | Proprietary Silicate 1 | 20-25    |
| CAS Number:<br>Trade Secret | Proprietary Polymer    | 3-4      |
| CAS Number:<br>Trade Secret | Proprietary Silicate 2 | 2-3      |
| CAS Number:<br>Trade Secret | Proprietary Additive   | 0.1      |

#### Additional Information:

The specific chemical identity and/or exact percentages (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

### SECTION 4: First Aid Measures

#### Description of First Aid Measures

##### General Notes:

Show this Safety Data Sheet to the doctor in attendance.

##### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

##### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

##### After Eye Contact:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 3 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

#### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Most Important Symptoms and Effects, Both Acute and Delayed

##### Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

##### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

#### Immediate Medical Attention and Special Treatment

##### Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

##### Notes for the Doctor:

Treat symptomatically.

### SECTION 5: Firefighting Measures

#### Extinguishing Media

##### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

##### Unsuitable Extinguishing Media:

Do not use water jet.

#### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating and toxic fumes including carbon oxides, silicon oxides and metal oxides.

#### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

### SECTION 6: Accidental Release Measures

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 4 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

#### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and Storage

#### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

#### Occupational Exposure Limit Values:

No occupational exposure limits noted for the ingredient(s).

#### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

#### Information on Monitoring Procedures:

Not determined or not applicable.

#### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal Protection Equipment

##### Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 5 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

|                                         |                                  |
|-----------------------------------------|----------------------------------|
| Appearance                              | Translucent white liquid.        |
| Odor                                    | Slight                           |
| Odor threshold                          | Not determined or not available. |
| pH                                      | Not determined or not available. |
| Melting point/freezing point            | Not determined or not available. |
| Initial boiling point/range             | 100 °C (212 °F)                  |
| Flash point (closed cup)                | Not determined or not available. |
| Evaporation rate                        | Not determined or not available. |
| Flammability (solid, gas)               | Not determined or not available. |
| Upper flammability/explosive limit      | Not determined or not available. |
| Lower flammability/explosive limit      | Not determined or not available. |
| Vapor pressure                          | Not determined or not available. |
| Vapor density                           | Not determined or not available. |
| Density                                 | 1.1g/ml <sup>3</sup>             |
| Relative density                        | Not determined or not available. |
| Solubilities                            | Not determined or not available. |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature          | Not determined or not available. |
| Decomposition temperature               | Not determined or not available. |
| Dynamic viscosity                       | Not determined or not available. |
| Kinematic viscosity                     | Not determined or not available. |
| Explosive properties                    | Not determined or not available. |
| Oxidizing properties                    | Not determined or not available. |

#### Other Information

|                  |                         |
|------------------|-------------------------|
| VOC              | < 0.5 mg/m <sup>3</sup> |
| Chloride content | 0%                      |

### SECTION 10: Stability and Reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical Stability:

Stable under recommended handling and storage conditions.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 6 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

#### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible Materials:

Treat as water.

#### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological Information

#### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

| Name                   | Route      | Result                               |
|------------------------|------------|--------------------------------------|
| Proprietary Additive   | oral       | LD50 Rat: > 2000 mg/kg               |
|                        | dermal     | LD50 Rabbit: > 2000 mg/kg            |
| Sodium Silicate        | dermal     | LD50 Rabbit: 4640 mg/m <sup>3</sup>  |
|                        | oral       | LD50 Rat: 1960 mg/kg                 |
| Proprietary Silicate 2 | oral       | LD50 Rat: 2500 mg/kg                 |
|                        | dermal     | LD50 Rat: > 5000 mg/kg               |
|                        | inhalation | LC50 Rat: > 2.06 mg/L (4 hr [vapor]) |
| Proprietary Salt       | oral       | LD50 Rat: 5700 mg/kg                 |
|                        | dermal     | LD50 Rat: > 5000 mg/kg               |
|                        | inhalation | LC50 Rat: 2.06 mg/L (4 hr [vapor])   |

#### Skin Corrosion/Irritation

##### Assessment:

Causes skin irritation.

##### Product Data:

No data available.

##### Substance Data:

| Name                 | Result                  |
|----------------------|-------------------------|
| Proprietary Additive | Causes skin irritation. |
| Sodium Silicate      | Causes skin irritation. |
| Proprietary Salt     | Causes skin irritation. |

#### Serious Eye Damage/Irritation

##### Assessment:

Causes serious eye damage.

##### Product Data:

No data available.

##### Substance Data:

| Name            | Result                    |
|-----------------|---------------------------|
| Sodium Silicate | Causes serious eye damage |

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 7 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

| Name                   | Result                     |
|------------------------|----------------------------|
| Proprietary Silicate 2 | Causes serious eye damage. |
| Proprietary Salt       | Causes serious eye damage. |

#### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

**OSHA Carcinogens:** Not applicable

#### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Specific Target Organ Toxicity (Single Exposure)

**Assessment:**

May cause respiratory irritation.

**Product Data:**

No data available.

**Substance Data:**

| Name                   | Result                            |
|------------------------|-----------------------------------|
| Sodium Silicate        | May cause respiratory irritation. |
| Proprietary Silicate 2 | May cause respiratory irritation. |
| Proprietary Salt       | May cause respiratory irritation. |

#### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 8 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

#### Information on Likely Routes of Exposure:

Inhalation; Ingestion; Skin contact; Eye contact

#### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

Refer to Section 4 of this SDS.

#### Other Information:

No data available.

### SECTION 12: Ecological Information

#### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

##### Substance Data:

| Name                   | Result                                                                               |
|------------------------|--------------------------------------------------------------------------------------|
| Proprietary Additive   | Fish LC50 Danio rerio: 108 mg/L (96 hr)                                              |
|                        | Aquatic Invertebrates EC50 Daphnia magna: 51 mg/L (48 hr [read across])              |
|                        | Aquatic Plants EC50 Desmodium subspicatus: > 100 mg/L (72 hr [read across, biomass]) |
| Sodium Silicate        | Fish LC50 Danio rerio: 1108 mg/L (96 h [mortality])                                  |
|                        | Aquatic Invertebrates EC50 Daphnia magna: 1700 mg/L (48 h [immobilisation])          |
| Proprietary Silicate 2 | Fish LC50 Poecilia reticulata: > 27.5 mg/L (96 hr [mobility])                        |
|                        | Aquatic Invertebrates EC50 Daphnia magna: > 220 mg/L (48 hr [mobility])              |
|                        | Aquatic Plants EC50 Scenedesmus subspicatus: 207 mg/L (72 hr [biomass])              |
| Proprietary Salt       | Fish LC50 Leuciscus idus: > 146 mg/L (96 hr)                                         |
|                        | Aquatic Invertebrates EC50 Daphnia magna: > 146 mg/L (48 hr)                         |
|                        | Aquatic Plants EC50 Desmodium subspicatus: 207 mg/L (72 hr [growth rate])            |

#### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

##### Substance Data:

| Name                 | Result                                                                   |
|----------------------|--------------------------------------------------------------------------|
| Proprietary Additive | Fish NOEC Pimephales promelas: 0.28 mg/L (30 d)                          |
|                      | Aquatic Invertebrates NOEC Daphnia magna: 0.77 mg/L (21 d [read across]) |

#### Persistence and Degradability

**Product Data:** No data available.

##### Substance Data:

| Name                   | Result                                                                                                                          |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Proprietary Additive   | This substance is readily biodegradable in water (99% degradation after 28 days, CO2 evolution).                                |
| Proprietary Silicate 2 | Persistence assessment based on biodegradability is not relevant for metals and its inorganic compounds such as this substance. |
| Proprietary Salt       | Persistence assessment based on biodegradability is not relevant for metals and its inorganic compounds such as this substance. |

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 9 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

#### Bioaccumulative Potential

**Product Data:** No data available.

**Substance Data:**

| Name                   | Result                                                                                                                                     |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Proprietary Additive   | This substance has low potential to bioaccumulate [BCF: 387.5 L/kg, read across].                                                          |
| Proprietary Silicate 2 | Bioaccumulation assessment using a classic BCF assessment is not considered relevant for essential elements/metals such as this substance. |
| Proprietary Salt       | Toxicokinetic data on vertebrates revealed a low potential for bioaccumulation.                                                            |

#### Mobility in Soil

**Product Data:** No data available.

**Substance Data:**

| Name                   | Result                                                                                                                             |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Proprietary Additive   | This substance is immobile; therefore, adsorption to soil is expected (calculated log Koc: > 5.56 L/kg, QSAR).                     |
| Proprietary Silicate 2 | Mobility in soil assessment based on KOC/Kd values are not relevant for metals and its inorganic compounds such as this substance. |
| Proprietary Salt       | Mobility in soil assessment based on KOC/Kd values are not relevant for metals and its inorganic compounds such as this substance. |

#### Results of PBT and vPvB assessment

**Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Substance Data:**

**PBT assessment:**

|                        |                                                                                               |
|------------------------|-----------------------------------------------------------------------------------------------|
| Proprietary Additive   | This substance is not PBT.                                                                    |
| Proprietary Silicate 2 | PBT assessment does not apply to metals and their inorganic compounds such as this substance. |
| Proprietary Salt       | PBT assessment does not apply to metals and their inorganic compounds such as this substance. |

**vPvB assessment:**

|                        |                                                                                                |
|------------------------|------------------------------------------------------------------------------------------------|
| Proprietary Additive   | This substance is not vPvB.                                                                    |
| Proprietary Silicate 2 | vPvB assessment does not apply to metals and their inorganic compounds such as this substance. |
| Proprietary Salt       | vPvB assessment does not apply to metals and their inorganic compounds such as this substance. |

**Other Adverse Effects:** No data available.

### SECTION 13: Disposal Considerations

#### Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

#### Contaminated packages:

Not determined or not applicable.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.25.2022

Page 10 of 11

Revision date: 04.10.2023

### Bone Dry Sealer

#### SECTION 14: Transport Information

##### United States Transportation of Dangerous Goods (49 CFR DOT)

|                               |               |
|-------------------------------|---------------|
| UN Number                     | Not regulated |
| UN Proper Shipping Name       | Not regulated |
| UN Transport Hazard Class(es) | None          |
| Packing Group                 | None          |
| Environmental Hazards         | None          |
| Special Precautions for User  | None          |

##### International Maritime Dangerous Goods (IMDG)

|                               |               |
|-------------------------------|---------------|
| UN Number                     | Not regulated |
| UN Proper Shipping Name       | Not regulated |
| UN Transport Hazard Class(es) | None          |
| Packing Group                 | None          |
| Environmental Hazards         | None          |
| Special Precautions for User  | None          |

##### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

|                               |               |
|-------------------------------|---------------|
| UN Number                     | Not regulated |
| UN Proper Shipping Name       | Not regulated |
| UN Transport Hazard Class(es) | None          |
| Packing Group                 | None          |
| Environmental Hazards         | None          |
| Special Precautions for User  | None          |

#### SECTION 15: Regulatory Information

##### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:** None of the ingredients are listed.

**New Jersey Right to Know:** None of the ingredients are listed.

**New York Right to Know:** None of the ingredients are listed.

**Pennsylvania Right to Know:** None of the ingredients are listed.

**California Proposition 65:** None of the ingredients are listed.

**Additional information:** Not determined.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.25.2022

Page 11 of 11

**Revision date:** 04.10.2023

**Bone Dry Sealer**

### SECTION 16: Other Information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 3-0-0

**HMIS:** 3-0-0

**Initial Preparation Date:** 03.25.2022

**Revision date:** 04.10.2023

**End of Safety Data Sheet**